

Existing SA RMP mapped to New SA RMP

Existing SA Clause		AEMO Legal Review outcomes		
Clause	Description	New SA Clause #	Clause heading	Comments
CHAPTER 1	INTERPRETATION AND ADMINISTRATION OF THE PROCEDURES			
Part 1.1	Commencement, Definitions And Interpretation			Modified to be consistent with NSW/ACT - 1.1
1	Commencement and Application	1.1	Application	Commencement provisions deleted, application substantially modified to reflect NGL regime, consistent with NSW/ACT
2	Definitions	1.2.1	Definitions	Modified as required based on changes to substantive clauses and for consistency - see separate sheet tab titled "List of Definitions"
3	Interpretation	1.2.2	Interpretation	
5	Meter readings deemed to occur at the start of the gas day	See comments	Interpretation	Now a note in clause 3.8.1
6	Calculations, rounding and measurements	1.2.2 (g)	Interpretation	Appendix 5 Deleted
6A.	Time under these Procedures	1.2.2 (c)	Interpretation	Time stamp provision deleted
Part 1.2	Compliance With Obligations Under These Procedures	N/A	Deleted heading	
7	Obligation to act as a reasonable and prudent person	1.2.2(f)	Obligation to act as a reasonable prudent person	Para (f) deals with interpretation of reasonable endeavours, it is proposed to delete the definition of reasonable and prudent person. All instances where it appears have been changed.
Part 1.3	Notices	See comments	Specification pack and FRC Hub	Notice requirements to be specified in AEMO specification pack
8	Requirements of effective notices and nominated contact details	See comments	Specification pack and FRC Hub	Notice requirements to be specified in AEMO specification pack
9	Format of notices	See comments	Specification pack and FRC Hub	Notice requirements to be specified in AEMO specification pack
11	Delivery times for notices	See comments	Specification pack and FRC Hub	Notice requirements to be specified in AEMO specification pack. However, RMPs retain the concepts of 'immediately' (medium priority/4.5 hours) and 'promptly' (low priority/end of next business day).
12	Notices by facsimile, hand delivery or post	See comments	Specification pack and FRC Hub	Notice requirements to be specified in AEMO specification pack
12A.	Notices by email	See comments	Specification pack and FRC Hub	Notice requirements to be specified in AEMO specification pack
13	AEMO may lodge and accept notices on behalf of a self-contracting user	1.3.6	AEMO may lodge and accept notices on behalf of a self-contracting user	Retained for now
Part 1.4	THESE PROCEDURES AND OTHER INSTRUMENTS	1.3		
14	Other instruments	1.3	Specification pack and FRC Hub	

Colour code reference

	Deleted
	Substantive amendments
	Minor to moderate amendments
	Largely retained with possible minor amendments
	Unchanged
	Either exists as part of technical protocol or need to be moved to technical protocol

Existing SA RMP mapped to New SA RMP

Existing SA Clause		AEMO Legal Review outcomes		
Clause	Description	New SA Clause #	Clause heading	Comments
14A.	Amendment	1.3.3	Amendment	Amended for consistency with NSW/ACT
14B.	FRC HUB Operating Terms and Conditions	1.3.4	FRC HUB	
14C	Additional FRC Hub outages	1.3.5	Additional FRC Hub outages	
Part 1.5	Appendices			Sub-heading deleted
15	Identification of sub-networks, gas zones and gate points	1.6	Sub-networks, gas zones, gate points and HDD zones	Gas zones, gate points maintained in AEMO Spec Pack (ICD).
CHAPTER 2	THE DATABASES			
Part 2.1	The AEMO Registry	2.3	AEMO Metering Database	
18	AEMO registry is deemed to be correct	N/A	Deleted	Deleted - no equivalent elsewhere
19	Maintenance and administration of the AEMO registry	2.3.1	Database contents	
20	AEMO standing data	2.3.1	Database contents	Standing data as per current SA RMP, plus additional data requirements added to reflect content of AEMO database, including energy data, transfer data, and allocations
21	Current user remains financially responsible for a delivery point	N/A		Deleted
21A.	FRC HUB certification	1.3.4	FRC HUB Certification	Changing the certification doc to the one applicable in Vic, Qld and NSW/ACT. No longer the need to FTP certify
21B.	Readiness certification	1.3.4	Readiness certification	Deleted. SA certification to be included in updated Specification Pack
22	GBO identification	N/A		GBO identification removed - identifiers for SA to be dealt with on registration and where necessary in the updated Specification Pack (ICD).
23	AEMO to provide bulk AEMO standing data	N/A	AEMO to provide bulk standing data	Moved into ICD section 8.7.3 and 8.7.4. See 3rd draft consolidated feedback item #53.
Part 2.2	Changing The AEMO Registry	N/A		Not specified in any other RMPs
Division 2.2.1	Obligation To Keep AEMO Registry Accurate	N/A		Not specified in any other RMPs
24	Purpose of this Part	N/A		Not specified in any other RMPs
25	AEMO must keep AEMO registry accurate			Not specified in any other RMPs
26	Participants must keep AEMO registry accurate			Not specified in any other RMPs
Division 2.2.2	Data Change Notices	N/A		
27	Data change notice	N/A		Deleted on the basis that routine updates managed through processes in the Specification Pack and do not need to be spelt out in RMP
28	Requirements for valid data change notice	N/A		Deleted
29	If data change notice is not valid	N/A		Deleted
30	If data change notice is valid AEMO accepts data change transaction	N/A		Deleted
31	Multiple data change transactions	N/A		Deleted
Division 2.2.3	Error Correction Notices		Error Correction Notices	
32	Error correction notice	9.1.1	Error correction notice	

Colour code reference

	Deleted
	Substantive amendments
	Minor to moderate amendments
	Largely retained with possible minor amendments
	Unchanged
	Either exists as part of technical protocol or need to be moved to technical protocol

Existing SA RMP mapped to New SA RMP

Existing SA Clause		AEMO Legal Review outcomes		
Clause	Description	New SA Clause #	Clause heading	Comments
33	Requirements for valid error correction notice	9.1.2	Requirements for valid error correction notice	
34	If error correction notice is not valid	9.1.2(b)		
35	If error correction notice is valid	9.1.3	Response to valid error correction notice	
36	Error correction objection (in respect of an incorrect transfer)	9.1.4	Error correction objection (incorrect transfer)	
37	If error correction objection is not valid	9.1.4 c		
38	If error correction objection is valid	9.1.5	Response to valid error correction objection	
39	Withdrawal of error correction objection	9.1.6	Withdrawal of error correction objection	
40	If error correction objection withdrawal notice is not valid	9.1.6 c		
41	If error correction objection withdrawal notice is valid	9.1.7	Response to valid error correction objection withdrawal notice	
42	Cancellation of error correction transaction	9.1.8	Cancellation of error correction transaction	
43	Withdrawal of error correction notice	9.1.9	Withdrawal of error correction notice	
44	If error correction withdrawal notice is not valid	9.1.9 (d)		
45	If error correction withdrawal notice is valid	9.1.10	Response to valid error correction withdrawal notice	
46	AEMO to mark as pending and then complete error correction transaction in respect of an incorrect transfer	9.1.11	AEMO to mark as pending and then complete error correction transaction in respect of an incorrect transfer	
47	When error correction transactions take effect	9.1.12	When error correction transactions take effect	
Division 2.2.4	Provision Of Metering Data At Conclusion Of Valid Error Correction Transaction	N/A	Provision Of Metering Data At Conclusion Of Valid Error Correction Transaction	
48	Network operator must provide metering data to new current user	9.1.13	Network operator must provide metering data to new current user	
Division 2.2.5	Updating AEMO Registry And Provision Of AEMO Standing Data	N/A		
49	Updating AEMO registry after accepting a data change transaction	N/A		Deleted
50	Updating AEMO registry after accepting and completing an error correction transaction	9.2	Updating the AEMO metering database	Moved to be located immediately after error correction provisions
51	Updating AEMO registry due to change in MIRN status	N/A		Deleted - Specific provision not required as 2.3.1 requires AEMO to maintain current information for each delivery point
52	Updating AEMO registry due to a completed transfer or determination of a small use customer or a small use customer indicator determination	N/A		Deleted - Specific provision not required as 2.3.1 requires AEMO to maintain current information for each delivery point
53	Provision of AEMO standing data	2.3.1	Provision of AEMO standing data	This sort of detail covered in ICD
Part 2.3	Retention of and Access to Historical Data in the AEMO Registry			
54	AEMO registry to provide audit trail	2.4	Metering Database Requirements	Detail of this requirement deleted

Colour code reference

	Deleted
	Substantive amendments
	Minor to moderate amendments
	Largely retained with possible minor amendments
	Unchanged
	Either exists as part of technical protocol or need to be moved to technical protocol

Existing SA RMP mapped to New SA RMP

Existing SA Clause		AEMO Legal Review outcomes		
Clause	Description	New SA Clause #	Clause heading	Comments
55	Accessibility of data in the AEMO registry	2.4(b)	Metering Database Requirements	Updated for consistency with NSW and Qld
55A.	Explicit informed consent required	See comments	Request for historical AEMO standing data	Deleted. Should historical standing data be accessed by a person who was not the current user? Consider if adequately dealt with under MIRN request rules?
56	Request for historical AEMO standing data	See comments	Request for historical AEMO standing data	Deleted
57	AEMO to provide historical AEMO standing data	See comments	AEMO to provide historical AEMO standing data	Deleted
Part 2.4	A Network Operator's Databases	2.2	Network Operator Metering Database	
58	MIRN database	2.2(b)	Network Operator Metering Database	Amended for consistency with NSW/ACT. Metering data also included, in addition to MIRN and Meter standing data
59	Street/suburb table	5.2.1	Street/suburb combination listing	Moved to chapter 5 (MIRN discovery)
60	MSD database	2.2 (c)	Network Operator Metering Database	SA Gas Metering Code includes requirements for a metering installation database - consider removing from RMPs altogether or cross-referring to ensure consistency
61	Users and AEMO must assist a network operator to keep network operator's databases accurate	N/A		Deleted
62	Updating MIRN database and MSD database	N/A		Deleted
CHAPTER 3	MIRN TRANSACTIONS	4	Chapter 4 Meter Management	Renamed for consistency with NSW/ACT
Part 3.1	New Connection	4.1	Basic Meter Installation	
63	Allocating MIRNs to network operators	2.1	Allocation of MIRNS	Amended for consistency with NSW/ACT
64	Allocating a MIRN to a delivery point	2.1	Allocation of MIRNS	Amended for consistency with NSW/ACT (including removal of checksum (to be included in MIRN definition))
65	MIRNs becoming commissioned for the first time	4.1		Deleted based on 2nd round feedback
66	New connection confirmation notice	See comments		Deleted based on 2nd round feedback
67	Requirements for valid new connection confirmation notice	See comments	Requirements for valid new connection confirmation notice	Deleted based on 2nd round feedback. Covered in Spec Pack
68	If new connection confirmation notice is not valid	See comments	Response to new connection confirmation notice	Deleted based on 2nd round feedback. Covered in Spec Pack
69	If new connection confirmation notice is valid	See comments	Response to new connection confirmation notice	Deleted based on 2nd round feedback. Covered in Spec Pack
Part 3.2	MIRN Discovery	5	Chapter 5 Mirn Discovery Process	Note 'User' amended to 'Retailer', i.e. MIRN discovery not open to Self Contracting Users, for consistency with NSW/ACT
70	Purpose of MIRN discovery process	N/A		Deleted
74	The MIRN discovery request	5.1.1	Request	
74A.	Complete MIRN Listing	5.2.2	Complete MIRN Listing	Generally aligned with NSW/ACT
75	Network operator to respond to MIRN discovery request	5.2.2	Network Operator Response	Generally aligned with NSW/ACT but timing requirements and information items remain consistent with current SA RMPs
76	Network operator to assist	5.3	Assistance in Searching	Generally aligned with NSW/ACT
Part 3.3	Transfer			
Division 3.3.1	Introduction	6.1.1	General	Retained for context but could probably be deleted

Colour code reference

	Deleted
	Substantive amendments
	Minor to moderate amendments
	Largely retained with possible minor amendments
	Unchanged
	Either exists as part of technical protocol or need to be moved to technical protocol

Existing SA RMP mapped to New SA RMP

Existing SA Clause		AEMO Legal Review outcomes		
Clause	Description	New SA Clause #	Clause heading	Comments
77	Transfer errors	6.1.2	Transfer errors	Retained in the transfer chapter, but obligation for AEMO and parties to an off market transfer correction agreement to provide information to facilitate that agreement deleted
78	Move in defined	See Comment	Move in defined	Moved to a defination
79	Explicit informed consent	6.1.3	Explicit informed consent	Amended and notes removed such that it is not a warranty for which the procedures provide specific liability consequences
80	Incoming user may lodge a transfer request	6.1.4	Incoming user may lodge a transfer request	
Division 3.3.2	The Transfer Request			
81	Transfer request	6.2.1	Transfer request	
82	Transfer request deemed to be a request for certain purposes	6.2.2	Transfer request deemed to be a request for certain purposes	
83	Requirements for valid transfer request	6.2.3(a)	Requirements for valid transfer request	
84	If transfer request is not valid	6.2.4	Requirements for transfer request	
85	If transfer request is valid	6.2.4	Response to valid transfer request	
Division 3.3.3	Objection to Transfer (other than a Move In)	6.3		
86	Network operator may object to a transfer other than a move in	6.3.1	Network operator may object to transfer other than a move in	
88	Requirements for a valid transfer objection	N/A	Deleted	rolled into requirements specified in 6.3.1
89	If transfer objection is not valid	6.3.1 c		
90	If transfer objection is valid	6.3.2	Response to valid transfer objection notice	
91	Withdrawal of transfer objection	6.3.3	Withdrawal of transfer objection	
92	If transfer objection withdrawal is not valid	6.3.3 c		
93	If transfer objection withdrawal is valid	6.3.4	Response to valid transfer objection withdrawal notice	
94	If transfer objection not withdrawn	6.3.5	If transfer objection not withdrawn	
Division 3.3.4	Withdrawal of Transfer Request			
95	Incoming user may withdraw a transfer request	6.4.1	Incoming user may withdraw transfer request	
96	If transfer withdrawal notice is not valid	6.4.1 d		
97	If transfer withdrawal notice is valid	6.4.2	Response to valid transfer withdrawal notice	
Division 3.3.5	AEMO Marks Move In as Pending	6.5	AEMO markets move in as pending	
98	Marking a move in as pending	6.5.1	Marking a move in as pending	
99	Network operator may be required to undertake special meter reading for a move in	6.5.2	Network operator may be required to undertake special meter reading for a move in	
Division 3.3.6	AEMO Marks Other Transfer as Pending			
100	Marking a transfer other than a move in as pending	6.6	AEMO marks other transfer as pending	
Division 3.3.7	Actual Value Required For Requested Transfer Of a Basic Metered Delivery Point			

Colour code reference

	Deleted
	Substantive amendments
	Minor to moderate amendments
	Largely retained with possible minor amendments
	Unchanged
	Either exists as part of technical protocol or need to be moved to technical protocol

Existing SA RMP mapped to New SA RMP

Existing SA Clause		AEMO Legal Review outcomes		
Clause	Description	New SA Clause #	Clause heading	Comments
101	Requested transfer of a basic-metered delivery point requires meter reading that has generated an actual value	6.7	Actual meter reading for transfer of basic-metered delivery points	
Division 3.3.8	The Transfer Takes Effect	6.8		
102	Requirements for a transfer confirmation	6.8.1	Requirements for a transfer confirmation	
103	The transfer	6.8.2	The transfer	
Part 3.5	Disconnection and Reconnection of Delivery Points	4.2	De-energising or Disconnecting Meters	
Division 3.5.1	Disconnection by network operator	4.2.1		
105	Disconnecting delivery points	4.2.1	Disconnection by Network Operator	
106	If disconnection notice is not valid	4.2.1 e		
107	If disconnection notice is valid	4.2.1(f) 4.2.2	Response to a valid disconnection notice	
108	Disconnection withdrawal notice	4.2.3	Disconnection withdrawal notice	Retained for now. TBD
109	If disconnection withdrawal notice is not valid	4.2.3 (d)		
110	If disconnection withdrawal notice is valid	4.2.3 e		
Division 3.5.2	Disconnection by user			
111	Disconnection by user (basic meters only)	4.2.4	Disconnection by use (basic meters only)	
Division 3.5.3	Disconnection confirmation notice to AEMO			
112	Disconnection confirmation notice	See Comment	Disconnection confirmation notice	Deleted. Covered in Spec Pack
113	Requirements for valid disconnection confirmation notice	See Comment		Deleted. Covered in Spec Pack
114	If disconnection confirmation notice is not valid	See Comment		Deleted. Covered in Spec Pack
115	If AEMO does not receive valid metering data	4.2.5	If AEMO does not receive valid metering data	
116	If disconnection confirmation notice is valid and valid metering data has been received	4.2.6	If valid metering data received	
Division 3.5.4	Reconnection by network operator			
117	Reconnecting delivery points	4.2.7	Reconnecting delivery points	
118	If reconnection notice is not valid	4.2.7		

Colour code reference

	Deleted
	Substantive amendments
	Minor to moderate amendments
	Largely retained with possible minor amendments
	Unchanged
	Either exists as part of technical protocol or need to be moved to technical protocol

Existing SA RMP mapped to New SA RMP

Existing SA Clause		AEMO Legal Review outcomes		
Clause	Description	New SA Clause #	Clause heading	Comments
119	If reconnection notice is valid	4.2.8	Response to valid reconnection notice	
Division 3.5.5	Reconnection Confirmation Notice to AEMO			
120	Reconnection confirmation notice	See Comment	Reconnection confirmation notice	Deleted. Covered in Spec Pack
121	Requirements for valid reconnection confirmation notice	See Comment		Deleted. Covered in Spec Pack
122	If reconnection confirmation notice is not valid	See Comment		Deleted. Covered in Spec Pack
123	If AEMO does not receive valid metering data	4.2.9	Id AEMO does not receive valid metering data	
124	If reconnection confirmation notice is valid and valid metering data has been received	4.2.10	Response to valid reconnection confirmation notice and valid metering data	
Part 3.6	Removing Delivery Points And Deregistering MIRNs	4.4	Deregistration of delivery points	
Division 3.6.1	Permanent Removal by network operator			
125	Permanently removing delivery points	4.4.1	Permanently removing delivery points	Retained for now. TBD
126	If permanent removal request is not valid	4.4.1(g)		
127	If permanent removal request is valid	4.4.2	Response to valid permanent removal request	
Division 3.6.2	Permanent Removal Confirmation Notice to AEMO			
128	Permanent removal confirmation notice	See comment	Permanent removal confirmation notice	Deleted. Covered in Spec Pack
129	Requirements for valid permanent removal confirmation notice	See comment	Requirements for valid permanent removal confirmation notice	Deleted. Covered in Spec Pack
130	If permanent removal confirmation notice is not valid	See Comment	If permanent removal confirmation notice is not valid	Deleted. Covered in Spec Pack
132	If permanent removal confirmation notice is valid and valid metering data has been received	4.4.3	Response to valid permanent removal confirmation notice and valid metering data	
Division 3.6.3	Deregistering MIRNs			
133	Effect of permanent removal	4.5	Deregistering MIRNS	Sub-para (2) moved to 2.1(g)
CHAPTER 4	Metering	3	Chapter 3 Metering	
Part 4.1	Metering Equipment	4.1	Meter Installation	
134	Network operator must provide meters	4.1	Basic Meter Installation	Major changes. 2nd draft suggested use NSW/ACT
135	Basic meters	N/a		Deleted based on 2nd round feedback
136	Units for basic meters	N/a		Deleted based on 2nd round feedback
137	Interval meters	N/a		Deleted based on 2nd round feedback

Colour code reference

	Deleted
	Substantive amendments
	Minor to moderate amendments
	Largely retained with possible minor amendments
	Unchanged
	Either exists as part of technical protocol or need to be moved to technical protocol

Existing SA RMP mapped to New SA RMP

Existing SA Clause		AEMO Legal Review outcomes		
Clause	Description	New SA Clause #	Clause heading	Comments
141	Metering upgrades	4.3	Meter upgrades	
Part 4.2	Meter Reading Requirements			
Division 4.2.1	Interval meters	3.2		
142	Interval meters to be read daily	3.2	Meter reading - Interval meters	
Division 4.2.2	Basic meters – scheduled meter readings	3.1		
143	Basic meters to be read in accordance with meter reading schedule	3.1.1	Scheduled meter readings	Modified based on 2nd draft feedback
144	Network operator to establish meter reading schedules	3.1.1	Meter reading schedules	Modified based on 2nd draft feedback
145	Amendments to meter reading schedule	3.1.1	Amendments to meter reading schedule	Modified based on 2nd draft feedback
Division 4.2.3	Basic Meters – Special Meter Readings			
147	Special meter readings (basic meters only)	3.1.2	Special meter readings	
Division 4.2.4	Basic meters – deemed meter readings			
148	Deemed meter reading (basic meters only)	3.1.3	Deemed meter readings	May require further explanation
Division 4.2.5	Basic meters – annual meter reading requirement			
149	Basic meters to have at least one meter reading that generates an actual value per year	N/A	Annual meter reading requirement	Deleted based on 2nd drafted feedback. Removed obligation on user to assist, as covered in NERR rule 94(1)
Division 4.2.6	Meter reading by entity other than network operator			
150	Meter reading activities by another entity	N/A	Meter reading by entity other than Network Operator	Deleted based on 2nd drafted feedback.
Part 4.3	Gate Point Metering Data			
151	Pipeline operators to provide physical gate point metering data	3.3.1	Transmission pipeline operators to provide physical gate point metering data	Query whether paragraph (d) necessary. Are there any remaining pre-2004 gate points without the necessary telemetry?
152	Network operator to provide gate point metering data to AEMO for each gate point	3.3.2	Network Operator to provide gate point metering data	
Part 4.4	Metering Data			
Division 4.4.1	Verification guidelines for metering data			
153	Verification of meter reading data	3.4	Validation of meter readings	Changed to use 'validation' terminology
Division 4.4.2	Calculation of energy value	3.5	Calculation of metering data	
154	Energy value	3.5.1	Consumed energy	Terminology aligned with NSW/ACT
155	Actual values	3.5.2	Actual meter readings	Terminology aligned with NSW/ACT
156	Estimated values	3.5.3	Estimated meter readings	Terminology aligned with NSW/ACT
157	Substituted values	3.5.4	Substituted meter readings	Terminology aligned with NSW/ACT
Division 4.4.3	Timing for provision of metering data	3.6		
158	Time for provision of metering data to current users and AEMO – basic and interval meters	3.6.1	Basic and interval meters	
159	Changes to MORN standing data and meter standing data relevant to calculations	Na	Changes to MORN standing data and meter standing data	Deleted based on 2nd round feedback
Division 4.4.4	Content of metering data	3.7		

Colour code reference

	Deleted
	Substantive amendments
	Minor to moderate amendments
	Largely retained with possible minor amendments
	Unchanged
	Either exists as part of technical protocol or need to be moved to technical protocol

Existing SA RMP mapped to New SA RMP

Existing SA Clause		AEMO Legal Review outcomes		
Clause	Description	New SA Clause #	Clause heading	Comments
160	Metering data for current users – basic and interval meters	3.7.1	Metering data for current users - basic and interval meters	
161	Metering data for new connections – basic meters	3.7.2	Metering data for new connections - basic meters	
162	Metering data for AEMO – basic and interval meters	3.7.3	metering data for AEMO - basic and interval meters	
Division 4.4.5	AEMO validation of metering data	3.8		
163	Requirements for valid provision of metering data to AEMO	3.8.1	Requirements for valid provision of metering data to AEMO	
164	Replacement of metering data in AEMO registry according to energy value types	3.8.2	Replacement of metering data in AEMO registry according to energy value types	
165	If metering data is not valid	3.8.3	If metering data is not valid	
166	If metering data is valid	3.8.4	If metering data is valid	
Division 4.4.6	Historical metering data	3.90		
166A.	Explicit informed consent required	3.9(b)(ii)	Historical metering data	Substantive EIC clause deleted. Requirement embedded in paragraphs (b) and (c) suffices.
167	Provision of historical metering data to user on request	3.9(a)	Historical metering data	
168	Archived historical metering data and historical meter reading data	2.4	Metering Database Requirements	Data retention requirements for both AEMO and network operators need not be repeated
Part 4.5	Heating Value Data	3.10		
169	Heating value data calculations	3.10.1	Heating value data calculations	
170	Heating value data to be retained	N/A		Deleted as retention covered in 2.4
171	Publication of heating value data	3.10.2	Publication of heating value data	
CHAPTER 5	CHAPTER 5 – Allocation and Reconciliation	8	Allocation and reconciliation	
Part 5.1	Introduction	8.1.1		
171A.	Exemption for farm tap sub-networks and single transmission pipeline sub-networks	8.1.2	Exempt sub-networks	
173	The shipper register	8.1.3	Shipper register	Query whether all or any of this is necessary, is it covered by AEMO registration obligations under NGR135AB?
174	Only one notional gate point per pipeline for each sub-network	8.1.4	Gate points	Shortened heading
175	Gate Point control systems	8.1.5		
177	Calculation of heating degree day	8.1.6 and Appendix C		
Part 5.2	User Obligations for non-STTM sub-networks	8.2	User Obligations for non-STTM sub-networks	
178	User to procure injections which match user's required withdrawals	8.2.1(a)	Injections to match required withdrawals	
180	Procedures may require negative injection	8.2.1(c)		
182	Users collectively to keep sub-network pressurised	8.2.2	Users collectively to keep sub-network pressurised	

Colour code reference

	Deleted
	Substantive amendments
	Minor to moderate amendments
	Largely retained with possible minor amendments
	Unchanged
	Either exists as part of technical protocol or need to be moved to technical protocol

Existing SA RMP mapped to New SA RMP

Existing SA Clause		AEMO Legal Review outcomes		
Clause	Description	New SA Clause #	Clause heading	Comments
184A.	AEMO calculates user's monthly interval-meter load	8.2.3	User's monthly interval-meter load	
185	User provides information to AEMO	8.2.4	User provides information to AEMO	
Part 5.3	Allocation Instructions for non STTM sub-networks	8.3	Allocation instructions for non STTM sub-networks	
187	"User's gas injections" defined	8.3.1		
188	User's allocation instruction	8.3.2		
189	Revised allocation instructions	8.3.3		
191	Validity of allocation instruction	8.3.4		
192	If allocation instruction is invalid	8.3.5		Modified based on 3rd draft feedback
193	User warranties	8.3.6		
193A.	Fallback user-shipper agreement			Deleted based on 2nd round feedback
Part 5.4	Before the Start of the Gas Day			
Division 5.4.2	Before the Start of the Gas Day	8.4	Before the Start of the Gas Day	
201	Forecast of unaccounted for gas	8.4.1	Forecast of unaccounted for gas	
202	User provides interval-meter information to AEMO	8.4.3	Provision of interval-meter information to AEMO	
203	Network operator provides basic-metered delivery point information	8.4.2	Provision or basic-metered delivery point information to AEMO	
204	AEMO produces user profiled forecast	8.4.4	User profiled forecasts	
205	AEMO publishes sub-network profiled forecast	8.4.5	Sub-network profiled forecasts	
206	AEMO produces shipper profiled forecasts for non-STTM sub-networks	8.4.6	Shipper profiled forecasts for non-STTM sub-networks	
207	AEMO produces pipeline profiled forecasts (for non-STTM sub-networks)	8.4.7	Pipeline profiled forecasts for non-STTM sub-networks	
208	Users to procure injections from market responsive flow control pipeline that match as closely as possible the User's profiled forecast (MRFC pipelines only) for non-STTM sub-networks	8.4.8	Injections from MRFC pipelines for non-STTM sub-networks	
209	AEMO determines profiles	8.4.9		
Part 5.5	During the Gas Day			
Division 5.5.3	During the gas day			
217A.	Pressure control pipeline to provide instantaneous flow signals	8.5.1		
Part 5.6	Allocation	8.6	Allocation	

Colour code reference

	Deleted
	Substantive amendments
	Minor to moderate amendments
	Largely retained with possible minor amendments
	Unchanged
	Either exists as part of technical protocol or need to be moved to technical protocol

Existing SA RMP mapped to New SA RMP

Existing SA Clause		AEMO Legal Review outcomes		
Clause	Description	New SA Clause #	Clause heading	Comments
218	The period for calculations	8.6.1		
220	Pipeline injections	8.6.2		
221	Total corrected injections	8.6.3		
222	User's interval-metered withdrawals	8.6.4		
223	Net system load	8.6.5		
224	Raw estimate of basic-metered delivery points withdrawals	8.6.6	Raw estimate of basic-metered withdrawals	
225	Normalisation factor for estimate of basic-metered delivery points withdrawals	8.6.7	Normalisation factor for estimated basic-metered withdrawals	
226	Estimated basic-metered withdrawal for each basic-metered delivery point	8.6.8	Estimated basic-metered withdrawals	
227	User's estimated basic-metered withdrawals	8.6.9		
227A.	Distributed actual basic-metered withdrawals	8.6.10		
227B.	User's distributed basic-metered withdrawals	8.6.11		
227C.	User's distributed basic-metered withdrawals	8.6.12		
228	User's estimated total withdrawals	8.6.13		
229	Estimate of unaccounted for gas	8.6.14		
230	AEMO calculates actual UAFG	8.6.15		
Part 5.8	Deemed Injections	8.7	Shipper's deemed injections	
246	Calculate shipper's deemed injections for non-STTM sub-networks	8.7(a), (b)	[no sub-heading]	
Part 5.12B	Gas Emergencies			
300B.	Commencement of a gas emergency			Deleted based on 2nd round feedback
Part 5.13	Data Failure			
301	Data failure	8.8.1		
301A.	Manifest data errors and recalculation of gas day results			Deleted based on 4th round feedback
301C.	Estimated gate point metering data and recalculation of gas day results where difference between estimated and actual data exceeds the gate point estimation recalculation threshold		Recalculation of estimated gate point metering data	Deleted based on 4th round feedback
Part 5.14	Miscellaneous Provisions			
302	Multi shipper allocation agreement	8.9.1	Multi-shipper application agreement	Re-worked for clarification

Colour code reference

	Deleted
	Substantive amendments
	Minor to moderate amendments
	Largely retained with possible minor amendments
	Unchanged
	Either exists as part of technical protocol or need to be moved to technical protocol

Existing SA RMP mapped to New SA RMP

Existing SA Clause		AEMO Legal Review outcomes		
Clause	Description	New SA Clause #	Clause heading	Comments
304	Recovery from AEMO Failure	8.9.2		
306	Maintenance and accessibility of AEMO data	8.9.3		
307	Treatment of gas injections under haulage contracts			
CHAPTER 6	COMPLIANCE AND INTERPRETATION	CH 10	COMPLIANCE	
Part 6.3	Matters Referred to AEMO			Recommend this clause is deleted or at least substantially amended. The same NGL provisions apply to procedure compliance for all RMPs made under the NGL, no similar provisions in any of those jurisdictions. This type of procedure may be OK in WA where there are different compliance assessment responsibilities. Several of these provisions are inappropriate in many circumstances. To be discussed
325	Matters referred to AEMO	10.2.1	Deleted	
326	Withdrawal of referral	10.2.2	Deleted	
327	AEMO may give notice to participants	10.3.1	Deleted	
328	AEMO to determine procedures	10.3.2	Deleted	
328A.	AEMO may investigate alleged breaches	10.3.3	Deleted	
329	Determinations which may be made	10.4.1	Deleted	
330	Notification of determinations	10.4.2	Deleted	
CHAPTER 7	CHAPTER 7 – REPORTING AND AUDITS	11	Administration	
Part 7.2	Audit			
351	Market audit	1.5	Market Audit	
Part 7.3	Other provisions regarding records		Access to Records	
361	Records needed by AEMO to meet reporting obligations	N/A	Access to Records	Deleted based on 2nd round feedback
Part 7.4	Report on use of GPMD estimates			
361A.	Report on use of GPMD estimates	3.3.2 (d)	Report on use of GPMD estimates	
CHAPTER 8	ADMINISTRATION			
Part 8.2	Confidentiality			
363	Confidentiality obligations	1.4	Confidentiality	Amended for consistency with NSW/ACT
Part 8.4	Small Use Customer and Small Use Customer Indicator Determination	N/A		Deleted
373A.	Small use customer determination in South Australia	N/A		Covered in definitions
373B.	AEMO to determine the small use customer indicator	4.1.9	AEMO to determine the small use customer indicator	Deleted
Part 8.5	Limitation of Liability	N/A	Deleted	Due to the nature of Retail Market Procedures, provisions regulating liability between participants/AEMO are not appropriate
374	No liability for as-retrieved data	N/A		Deleted
375	No liability for acting in reliance on data provided by others	N/A		Deleted
376	Liability for direct damage only	N/A		Deleted
376A.	Liability for indirect damage in certain circumstances only	N/A		Deleted
376B.	Fraud	N/A		Deleted

Colour code reference

	Deleted
	Substantive amendments
	Minor to moderate amendments
	Largely retained with possible minor amendments
	Unchanged
	Either exists as part of technical protocol or need to be moved to technical protocol

Existing SA RMP mapped to New SA RMP

Existing SA Clause		AEMO Legal Review outcomes		
Clause	Description	New SA Clause #	Clause heading	Comments
376C.	Extended scope of this part	N/A		Deleted
376D.	No third party benefit	N/A		Deleted
377	AEMO's limitation of liability	N/A		Deleted
377A.	Indemnifying AEMO	N/A		
CHAPTER 11	RETAILER OF LAST RESORT	CH 7	Retailer of last resort processes	
408	Creation, Maintenance and Administration of Customer Data	7.1	Customer details database	
409	Retailer of Last Resort Event	1.2.1	RoLR event	
410	Cancelled and Accelerated Customer Transfers	7.2.1	Cancellation and acceleration of Customer transfers	
411	Metering Register Update	7.2.2	AEMO metering database update	
412	MIRN Database and MSD Database Update	7.2.3	Network Operator metering database update	
413	Data Exchange	7.2.4	Data exchange	
414	Data Exchange from Failed Retailer	7.2.5	Data Exchange from Failed Retailer	
415	Meter Reading and Account Creation	7.2.6	Meter Reading and Account Creation	
416	Updates to Estimated Meter Reading	7.2.7	Updates to Estimated Meter Reading	
417	Service Order Processes	7.2.8	Service Order Processes	
418	Industry reconciliation program	7.2.9	Industry reconciliation program	
419	Gas Day Harmonisation			Deleted based on 4th round feedback
Appendix 1	CODING OF GAS ZONES AND GATE POINTS			Deleted, but moved across to ICD (see 2.3). Based on 2nd round feedback
Sub-appendix 1.2	Sub-appendix 1.2	N/A	Coding of Gas Zones and Gate Points	Amended to contain only rules for coding . AEMO will maintain list outside RMPs as provided in clause 1.6. They are now in the ICD section 14- Appendix D
Appendix 2	Estimation and Verification Methodology	N/A		Deleted. Prescribed in Gas Metering Code, now included in definition of approved validation methodology
Sub-appendix 2.3	AEMO's Estimation Methodology for Gate Point Data, Net System Load and Interval Meters	App A	Estimation of Data by AEMO	
Appendix 3	CALCULATION OF THE MIRN CHECKSUM	N/A	Calculation of the MIRN Checksum	Deleted. This is part of the MIRN Structure document
Appendix 4	AUDITOR'S DEED OF UNDERTAKING	N/A		Only AEMO is required to appoint an auditor. The terms of the deed are not relevant to Participants. Confidentiality obligations are already contained in the Law and Rules
Appendix 5	CALCULATIONS, ROUNDING AND UNITS	1.2.2(g)	Interpretation	
Appendix 11	HEATING DEGREE DAY FOR SOUTH AUSTRALIA			

Colour code reference

	Deleted
	Substantive amendments
	Minor to moderate amendments
	Largely retained with possible minor amendments
	Unchanged
	Either exists as part of technical protocol or need to be moved to technical protocol

Existing SA RMP mapped to New SA RMP

Existing SA Clause		AEMO Legal Review outcomes		
Clause	Description	New SA Clause #	Clause heading	Comments
Sub-appendix 11.1	HDD zones	App B	Heating Degree Day for South Australia	
Sub-appendix 11.2	Coefficients for heating degree day calculations	N/A	Heating Degree Day for South Australia	See comment in version 3 of draft RMP
	List of there is no clause			
4	There is no clause 4.			
10	There is no clause 10.			
16	There is no clause 16.			
PART 1.6	THERE IS NO PART 1.6			
17	There is no clause 17.			
71	There is no clause 71.			
72	There is no clause 72.			
73	There is no clause 73.			
87	There is no clause 87.			
Part 3.4	There is no Part 3.4			
104	There is no clause 104.			
131	There is no clause 131.			
138	There is no clause 138.			
139	There is no clause 139.			
140	There is no clause 140.			
146	There is no clause 146.			
172	There is no clause 172.			
176	There is no clause 176.			
179	There is no clause 179.			
181	There is no clause 181.			
183	There is no clause 183.			
184	There is no clause 184.			
186	There is no clause 186.			
190	There is no clause 190.			
Division 5.4.1	There is no Division 5.4.1			
194	There is no clause 194.			
195	There is no clause 195.			
196	There is no clause 196.			
197	There is no clause 197.			
198	There is no clause 198.			
199	There is no clause 199.			
200	There is no clause 200.			
Division 5.5.1	There is no Division 5.5.1			
210	There is no clause 210.			
211	There is no clause 211.			
212	There is no clause 212.			
Division 5.5.2	There is no Division 5.5.2			
213	There is no clause 213.			

Colour code reference

	Deleted
	Substantive amendments
	Minor to moderate amendments
	Largely retained with possible minor amendments
	Unchanged
	Either exists as part of technical protocol or need to be moved to technical protocol

Existing SA RMP mapped to New SA RMP

Existing SA Clause		AEMO Legal Review outcomes		
Clause	Description	New SA Clause #	Clause heading	Comments
214	There is no clause 214			
215	There is no clause 215			
216	There is no clause 216			
217	There is no clause 217			
219	There is no clause 219.			
Part 5.7	There is no Part 5.7			
231	There is no clause 231.			
232	There is no clause 232.			
233	There is no clause 233.			
234	There is no clause 234.			
235	There is no clause 235.			
236	There is no clause 236.			
237	There is no clause 237.			
238	There is no clause 238.			
239	There is no clause 239.			
240	There is no clause 240.			
241	There is no clause 241.			
242	There is no clause 242.			
243	There is no clause 243.			
244	There is no clause 244.			
245	There is no clause 245.			
247	There is no clause 247.			
248	There is no clause 248.			
Part 5.9	There is no Part 5.9			
Division 5.9.1	There is no Division 5.9.1			
249	There is no clause 249.			
250	There is no clause 250.			
Division 5.9.2	There is no Division 5.9.2			
251	There is no clause 251.			
252	There is no clause 252.			
Part 5.10	There is no Part 5.10			
253	There is no clause 253.			
254	There is no clause 254.			
255	There is no clause 255.			
256	There is no clause 256.			
257	There is no clause 257.			
258	There is no clause 258.			
259	There is no clause 259.			
260	There is no clause 260.			
261	There is no clause 261.			
262	There is no clause 262.			
263	There is no clause 263.			
264	There is no clause 264.			
265	There is no clause 265.			
266	There is no clause 266.			
Part 5.11	There is no Part 5.11			
267	There is no clause 267.			

Colour code reference

	Deleted
	Substantive amendments
	Minor to moderate amendments
	Largely retained with possible minor amendments
	Unchanged
	Either exists as part of technical protocol or need to be moved to technical protocol

Existing SA RMP mapped to New SA RMP

Existing SA Clause		AEMO Legal Review outcomes		
Clause	Description	New SA Clause #	Clause heading	Comments
268	There is no clause 268.			
269	There is no clause 269.			
270	There is no clause 270.			
271	There is no clause 271.			
272	There is no clause 272.			
273	There is no clause 273.			
274	There is no clause 274.			
275	There is no clause 275.			
276	There is no clause 276.			
Part 5.12	There is no Part 5.12			
277	There is no clause 277.			
278	There is no clause 278.			
279	There is no clause 279.			
280	There is no clause 280.			
281	There is no clause 281.			
282	There is no clause 282.			
283	There is no clause 283.			
284	There is no clause 284.			
285	There is no clause 285.			
286	There is no clause 286.			
287	There is no clause 287.			
288	There is no clause 288.			
288A.	There is no clause 288A.			
289	There is no clause 289.			
290	There is no clause 290.			
291	There is no clause 291.			
292	There is no clause 292.			
293	There is no clause 293.			
294	There is no clause 294.			
295	There is no clause 295.			
296	There is no clause 296.			
296A.	There is no clause 296A.			
297	There is no clause 297.			
298	There is no clause 298.			
299	There is no clause 299.			
300	There is no clause 300.			
Part 5.12A	There is no Part 5.12A			
300A.	There is no clause 300A.			
300C.	There is no clause 300C.			
300D.	There is no clause 300D			
300E.	There is no clause 300E.			
300F.	There is no clause 300F.			
300G.	There is no clause 300G			
301B.	There is no clause 301B.			
303	There is no clause 303.			
305	There is no clause 305.			
308	There is no clause 308.			
Part 6.1	There is no Part 6.1			
309	There is no clause 309.			
310	There is no clause 310.			
311	There is no clause 311.			

Colour code reference

	Deleted
	Substantive amendments
	Minor to moderate amendments
	Largely retained with possible minor amendments
	Unchanged
	Either exists as part of technical protocol or need to be moved to technical protocol

Existing SA RMP mapped to New SA RMP

Existing SA Clause		AEMO Legal Review outcomes		
Clause	Description	New SA Clause #	Clause heading	Comments
312	There is no clause 312.			
313	There is no clause 313.			
314	There is no clause 314.			
315	There is no clause 315.			
316	There is no clause 316.			
317	There is no clause 317.			
318	There is no clause 318.			
319	There is no clause 319.			
320	There is no clause 320.			
321	There is no clause 321.			
Part 6.2	There is no Part 6.2			
322	There is no clause 322.			
323	There is no clause 323.			
324	There is no clause 324.			
331	There is no clause 331.			
Part 6.4	There is no Part 6.4			
332	There is no clause 332.			
333	There is no clause 333.			
334	There is no clause 334.			
335	There is no clause 335.			
336	There is no clause 336.			
337	There is no clause 337.			
338	There is no clause 338.			
339	There is no clause 339.			
340	There is no clause 340.			
341	There is no clause 341.			
342	There is no clause 342.			
343	There is no clause 343.			
344	There is no clause 344.			
345	There is no clause 345.			
346	There is no clause 346.			
347	There is no clause 347.			
348	There is no clause 348.			
Part 7.1	There is no Part 7.1			
349	There is no clause 349			
350	There is no clause 350.			
352	There is no clause 352.			
353	There is no clause 353.			
354	There is no clause 354.			
355	There is no clause 355.			
356	There is no clause 356.			
357	There is no clause 357.			
358	There is no clause 358.			
359	There is no clause 359.			
360	There is no clause 360.			
Part 8.1	There is no Part 8.1			
362	There is no clause 362.			
362A.	There is no clause 362A.			
364	There is no clause 364			
365	There is no clause 365			
366	There is no clause 366			

Colour code reference

	Deleted
	Substantive amendments
	Minor to moderate amendments
	Largely retained with possible minor amendments
	Unchanged
	Either exists as part of technical protocol or need to be moved to technical protocol

Existing SA RMP mapped to New SA RMP

Existing SA Clause		AEMO Legal Review outcomes		
Clause	Description	New SA Clause #	Clause heading	Comments
Part 8.3	There is no Part 8.3			
367	There is no clause 367.			
368	There is no clause 368.			
369	There is no clause 369.			
370	There is no clause 370.			
371	There is no clause 371.			
372	There is no clause 372.			
373	There is no clause 373.			
Part 8.6	There is no part 8.6.			
377B.	There is no clause 377B			
CHAPTER 9	THERE IS NO CHAPTER 9			
Part 9.1	There is no Part 9.1			
378	There is no clause 378.			
378A.	There is no clause 378A.			
378B.	There is no clause 378B.			
379	There is no clause 379.			
380	There is no clause 380.			
381	There is no clause 381.			
382	There is no clause 382.			
Part 9.2	There is no Part 9.2			
383	There is no clause 383.			
384	There is no clause 384.			
385	There is no clause 385.			
386	There is no clause 386.			
387	There is no clause 387.			
388	There is no clause 388.			
389	There is no clause 389.			
390	There is no clause 390.			
391	There is no clause 391.			
392	There is no clause 392.			
393	There is no clause 393.			
394	There is no clause 394.			
395	There is no clause 395.			
396	There is no clause 396.			
396A.	There is no clause 396A.			
397	There is no clause 397.			
398	There is no clause 398.			
399	There is no clause 399.			
399A.	There is no clause 399A.			
400	There is no clause 400.			
400A.	There is no clause 400A.			
401	There is no clause 401.			
402	There is no clause 402.			
CHAPTER 10	THERE IS NO CHAPTER 10			
403	There is no clause 403.			
404	There is no clause 404.			
405	There is no clause 405.			
406	There is no clause 406.			
407	There is no clause 407.			
Sub-appendix 1.1	There is no Sub-appendix 1.1			

Colour code reference

	Deleted
	Substantive amendments
	Minor to moderate amendments
	Largely retained with possible minor amendments
	Unchanged
	Either exists as part of technical protocol or need to be moved to technical protocol

Existing SA RMP mapped to New SA RMP

Existing SA Clause		AEMO Legal Review outcomes		
Clause	Description	New SA Clause #	Clause heading	Comments
Sub-appendix 2.1	There is no Sub-appendix 2.1			
Appendix 6	THERE IS NO APPENDIX 6			
Appendix 7	There is no Appendix 7			
Appendix 8	There is no Appendix 8			
Appendix 9	There is no Appendix 9			
Appendix 10	There is no Appendix 10			
Appendix 12	There is no Appendix 12			

Colour code reference

	Deleted
	Substantive amendments
	Minor to moderate amendments
	Largely retained with possible minor amendments
	Unchanged
	Either exists as part of technical protocol or need to be moved to technical protocol